



G-19 EAGLE

- Premium asphalt tire
- Smooth tread design for increased steering response
- Consistent, repeatable performance for improved cost efficiency
- Compounds enhance tread life
- R475 compound for front wheel drive cars



G-19 Eagle

GT & PRODUCTION CLASSES

Product Code	Size	**Suggested No Trade-In Price	SOFT TO HARDER →					Rim	Overall Diameter	Section Width	Tread Width	Weight
			R175	R250	R430	R475	R600					
807-434-068 Matl. No.	20.0x8.0-13	\$156.00	1704 190754		1705 186806	1940 190591		6	20.1	9.1	8.0	13.0
807-685-068 Matl. No.	20.0x9.5-13	\$176.00		1709 186808	1711 186809	1942 190592		7	19.9	10.2	9.2	14.2
807-068-068 Matl. No.	21.0x9.0-13	\$181.00				1722 190744	1523 181345	7	20.5	9.3	8.5	16.0
807-486-068 Matl. No.	21.0x10.0-13	\$189.00			1526 181353	1726 186807		7	21.0	10.2	9.7	16.0
807-889-068 Matl. No.	23.0x8.0-15	\$192.00		1772 186830	1774 188614			7	22.6	10.0	8.4	16.3
807-409-104 Matl. No.	23.0x9.0-15	\$198.00		2069 192563	1782 187256	1873 190097	1783 188512	7	23.0	10.4	9.3	18.0

SPORTS GT

			R250	R430	R475	R600	R800					
807-493-068 Matl. No.	25.0x11.0-15	\$180.00			1955 190756			10	25.3	12.2	10.5	24.0
807-674-059 Matl. No.	27.0x11.0-15	\$184.00			1956 190695			10	26.8	13.3	10.9	22.1
807-980-068 Matl. No.	22.0x9.0-16	\$194.00		1413 187767			1468 181359	8	23.1	8.9	8.5	17.0
807-220-068 Matl. No.	23.5x10.5-16	\$247.00		1651 23334		1652 23335		11	23.3	11.8	10.1	18.0
807-939-068 Matl. No.	23.5x11.5-16	\$253.00	2154 193117	1653 23477				11	23.8	11.6	10.6	19.0
807-320-068 Matl. No.	25.0x12.0-16	\$272.00		1660 184952		1661 23357		12	24.6	13.5	11.7	21.0
807-322-068 Matl. No.	25.0x13.0-16	\$264.00	1980 190533	1570 184222	1982 190534	1572 188104		12	24.5	13.7	12.4	22.5
807-764-068 Matl. No.	27.0x14.0-16	\$281.00	1981 190535	1571 184247	1983 190536	1573 188168		14	26.6	15.9	13.7	26.5



G-19 FORMULA EAGLE

- A 21" tall Formula Ford and Formula Continental for quick turn-in response
- Radial tires in GT1 and Formula Atlantic
- Dry cornering, traction and stability
- Large selection of compounds for different track conditions
- Great handling and traction
- Quick steering response



G-19 Formula Eagle

FORMULA

Product Code	Size	**Suggested No Trade-In Price	SOFT TO HARDER →				Rim	Overall Diameter	Section Width	Tread Width	Weight
				R075	R115	R160	R175				
807-002-068 Matl. No.	18.0x6.5-10	\$131.00	F500	2259 196326			1957 191197	6	18.0	7.4	6.5 9.0
807-003-068 Matl. No.	18.0x7.5-10	\$144.00	F500	2260 196327			1958 191223	8.5	18.0	9.1	7.5 10.0
807-405-068 Matl. No.	19.0x6.5-10	\$129.00	F500	2261 194487			1971 191583	6	19.5	8.2	6.5 11.5
807-005-068 Matl. No.	19.0x7.5-10	\$140.00	F500	2262 194484			1972 191538	8.5	19.5	9.9	7.5 12.0
				R160	R175	R250	R430	R475	R600		
807-366-068 Matl. No.	20.0x6.0-13	\$151.00	F/F S2000	1629 187829		1598 189098	2223 194839		3321 125151	5.5	20.6 7.3 6.2 10.0
807-089-068 Matl. No.	20.0x6.5-13	\$153.00	F/F	2273 193352	2274 193353					6	20.5 7.7 6.4 8.5
807-274-068 Matl. No.	22.5x7.5-13	\$181.00	F/F	1671 186757	1975 190551	1599 189097	2013 23348		2015 94808	5.5	22.4 10.2 7.4 15.2
807-299-068 Matl. No.	20.0x7.0-13	\$163.00	FC/S2000 FM	1586 184528	1561 190467	1578 184221	1026 140941			6.0-8.0	20.5 8.7 7.2 10.0
807-434-068 Matl. No.	20.0x8.0-13	\$156.00	CSR FM	1763 188513	1995 190748				2620 23409	8	20.0 9.1 7.7 11.0
807-135-068 Matl. No.	22.0x10.0-13	\$188.00	CSR FM	1764 188511	1996 190746			1931 190142	2621 23323	10	22.3 11.7 9.8 14.0
807-961-068 Matl. No.	20.0x9.5-13	\$171.00	F/ATL	3373 164537	1951 190697					10	20.3 10.9 9.1 9.5
807-684-068 Matl. No.	22.0x9.0-13	\$179.00	F/ATL-FM FC/S2000	2104 193109	2105 193733	1579 184287	1027 140942			8.0-10.0	22.5 11.3 9.2 14.4
807-915-068 Matl. No.	23.0x13.0x13	\$227.00	F/ATL		1953 190696					14	23.0 16.1 12.3 20.0
807-403-068 Matl. No.	21.0x5.5-15	\$144.00	F/V				1488 188251			4	21.5 5.8 5.0 9.3
807-975-068 Matl. No.	21.0x5.0-15	\$140.00	F/V				1487 188252			4	21.5 5.2 4.3 9.0
807-199-068 Matl. No.	22.5x5.5-15	\$151.00	F/V				1489 188249			4	22.3 6.2 5.2 10.1
807-480-068 Matl. No.	21.0x7.0-13	\$159.00	F/C,FF	2209 194826						6	21.5 8.1 7.2 11.0



PRO-MAZDA

Product Code	Size	**Suggested No Trade-In Price	SOFT TO HARDER →				Rim	Overall Diameter	Section Width	Tread Width	Weight
			R250	R430	R620	R800					
807-293-068 Matl. No.	21.0x8.0-13	\$168.00	2177 192211	2277 193348	2287 193362	2289 194089	9	21.2	9.9	8.1	11.2
807-136-068 Matl. No.	22.0x11.0-13	\$185.00	2178 192268	2278 193347	2288 193361	2290 194088	11	22.5	12.6	10.7	14.5

FORMULA SAE

			R065	R160						
807-002-068 Matl. No.	18.0x6.5-10	\$104.00	1383 182259		6	18.0	7.4	6.5	9.0	
807-003-068 Matl. No.	18.0x7.5-10	\$113.00	1384 182260		8.5	18.0	9.1	7.5	10.0	
807-089-068 Matl. No.	20.0x6.5-13	\$119.00	1385 182263	2273 193352	6	20.5	7.7	6.4	8.5	
807-434-068 Matl. No.	20.0x8.0-13	\$127.00	1386 182267		8	20.0	9.2	8.1	11.0	
807-299-068 Matl. No.	20.0x7.0-13	\$120.00	2509 197854		6.0-8.0	20.5	8.7	7.2	10.0	

SPEC RACER FORD

- A400 compound for excellent traction and long wear
- Construction only for Spec Ford
- Hand-carved rain tire for wet weather conditions



Spec Racer Ford

SPEC RACER FORD

Product Code	Size	**Suggested No Trade-In Price	SOFT TO HARDER →				Rim	Overall Diameter	Section Width	Tread Width	Weight
807-189-068 Matl. No.	22.0x7.0-13	\$150.00			2525 199605		5.5	21.9	8.8	7.1	17.5
807-189-068 Matl. No.	22.0x7.0-13	\$150.00			2525 199605		7	21.8	9.4	7.1	17.5
807-189-096 Matl. No.	22.0x7.0-13 (G-24)	\$175.00	2524 199702				7	22.6	9.3	7.0	16.0